

Kahler













Sales podium made from pressure-impregnated, alternative varnished wood with 2 watertight, black plastic irrigation trays, each measuring 410 x 610 mm. The irrigation trays are removable. 4 grey, solid-rubber 75-mm swivel castors, 2 locking brakes.

L x W x H = 865 x 660 x 290 mm Order no.: 102085

L x W x H = 865 x 660 x 480 mm Order no.: 102074

L x W x H = 865 x 660 x 670 mm Order no.: 102098







timber 2

Sales podium made from pressure-impregnated, alternative varnished wood with 1 watertight, black plastic irrigation tray measuring 1250 x 550 mm or 1215 x 815 mm. The irrigation tray is removable. 4 grey, solid-rubber 75-mm swivel castors, 2 locking brakes.

L x W x H = 1295 x 595 x 290 mm Order no.: 102081

L x W x H = 1295 x 595 x 480 mm Order no.: 102070

L x W x H = 1295 x 595 x 670 mm Order no.: 102094

L x W x H = 1255 x 855 x 290 mm Order no.: 102083

L x W x H = 1255 x 855 x 480 mm Order no.: 102072

L x W x H = 1255 x 855 x 670 mm Order no.: 102096





Stair-type sales stand made from pressureimpregnated, alternative varnished wood with 3 watertight, black plastic irrigation trays, each measuring 1250 x 250 mm. The irrigation trays are removable. 4 grey, solid-rubber 75 mm swivel castors, 2 locking brakes.

L x W x H = 1295 x 810 x 670 mm Order no.: 102068









timber 8

toothed rod.

L x W x H = 1260 x 860 x 570 mm for 4 fruit and vegetable boxes measuring 600 x 400 mm Order no.: 102065

L x W x H = 1260 x 1260 x 570 mm for 6 fruit and vegetable boxes measuring 600 x 400 mm Order no.: 102066

timber 16

Fruit and vegetable presentation

made from pressure-impregnated, alternative varnished wood with 2 inserted plastic trays, 1260 x 420 mm each for 4 fruit and vegetable crates, 600 x 400 mm incl. 80 mm support strip for scanner rail. Feet made from finely-structured plastic-coated DB 703 steel with floor compensation screws.



L x W x H = 1315 x 875 x 650 / 1135 mm Order no.: 103074





Inclined fruit and vegetable display made from pressureimpregnated, alternative varnished wood with an incorporated electrogalvanised latticed incliner. Angle of inclination can be adjusted by means of the

4 grey, solid-rubber 75-mm-Ø swivel castors, 2 locking brakes



timber 4 - Customer counter

Customer counter made from pressure-impregnated, alternative varnished wood. The counter frame is made from finely-structured, plasticcoated DB 703 steel. Worktop made from Nero Impala granite. Other sorts of granite on request. Standard interior equipment: Bottom plate and 1 storage compartment in black wood décor

Mobile version

4 grey, solid-rubber 80 mm castors, 2 locking brakes. $L \times W \times H = 1200 \times 700 \times 940 \text{ mm}$ Order no.: 102063

Stationary version

Feet with unscrewable floor-compensation screws L x W x H = 1200 x 700 x 940 mm Order no.: 102056




Accessories:

Sink made from stainless steel with a 20-mm outer rim, usable dimensions L 400 x W 400 x H 250 mm, position of centre of sink is 260 mm from the edge of the counter (on the users' side), 300 mm from the edge of the counter on the far right incl. wash basin facing Order no.: 101683

Spiral-sprung sink fittings with mixer tap

incl. drill hole in the granite top for fittings; position at the centre above the sink (installation, connections and piping are provided by the customer) Order no.: 101042





pull-out waste container

Pass-through hole in the granite top has polished edges and a 250-mm diameter. Its centre is positioned 400 mm from the edge of the counter (on the users' side) and 300 mm away from the edge of the corner to the left Order no.: 101059

Pull-out waste container

L 460 x W 590 x H 620 mm made of galvanised steel plate, front finely-structured powder-coated DB 703 Order no.: 101815

Drawer with a stainless steel handle and full extension; mounted on ball bearings, usable dimensions L 400 x W 410 mm, drawer faceplate L 470 x H 170 mm with a black wood décor Order no.: 101044



Paper dispenser for a 500 mm reel incl. fixture for the table substructure Order no.: 101047

Paper dispenser for a 800 mm reel incl. fixture for the table substructure Order no.: 101048

Cable feedthrough diameter 60 mm in the granite top with black cover (please state desired position!) Order no.: 101060

Counter front recessed with 2 height-adjustable storage compartments, depth 190 mm Order no.: 101062

Base facing of stationary counter DB 703 finely-structured polyester-coated steel Running metre Order no.: 101817



Working counter with higher rear wall

made from pressure-impregnated wood, alternative varnished wood. The counter frame is made from finely-structured, plastic-coated DB 703 steel. Worktop made from Nero Impala granite. Other sorts of granite on request. Standard interior equipment: Bottom plate and 1 storage compartment in black wood décor

Mobile version

4 grey, solid-rubber 80 mm castors, 2 locking brakes. L x W x H = 1200 x 700 x 940 / 1650 mm Order no.: 103081

Stationary version

Feet with unscrewable floor-compensation screws L x W x H = 1200 x 700 x 940 / 1650 mm Order no.: 103082

Accessories:

Sink made from stainless steel with a 20-mm outer rim. usable dimensions L 400 x W 400 x H 250 mm, position of centre of sink is 260 mm from the edge of the counter (on the users' side), 300 mm from the edge of the counter on the far right incl. wash basin facing Order no.: 101683

Spiral-sprung sink fittings with mixer tap

incl. drill hole in the granite top for fittings; position at the centre above the sink (installation, connections and piping are provided by the customer) Order no.: 101042

Pass-through hole in the granite top has polished edges and a 250-mm diameter. Its centre is positioned 400 mm from the edge of the counter (on the users' side) and 300 mm away from the edge of the corner to the left

Pull-out waste container

Order no.: 101059

L 460 x W 590 x H 620 mm made of galvanised steel plate, front finely-structured powder-coated DB 703 Order no.: 101815

Drawer with a stainless steel handle and full extension, mounted on ball bearings, usable dimensions L 400 x W 410 mm, drawer faceplate L 470 x H 170 mm with a black wood décor Order no.: 101044


Paper dispenser for a 500 mm reel incl. fixture for the table substructure Order no.: 101047

Paper dispenser for a 800 mm reel incl. fixture for the table substructure Order no.: 101048

Cable feedthrough diameter 60 mm in the granite top with black cover (please state desired position!) Order no.: 101060

Base facing of stationary counter

DB 703 finely-structured polyester-coated steel Running metre Order no.: 101817



Pull-out waste container

timber 4 - Working counter to be placed at wall



$\label{eq:presentation table} \ensuremath{\text{ Presentation table}} \xspace \ensuremath{\text{ without suspended tiers at the sides}} \xspace$

Frame made from finely-structured plastic-coated DB 703 steel Table surfaces made from pressure-impregnated, alternative varnished wood Table feet with floor compensation screws L x W x H = 1200 x 815 x 810 mm Order no.: 103075

Sheet-metal tier for timber 14

for attaching to the long side of the table, inclinable finely-structured plastic-coated DB 703 sheet steel L x W = $1200 \times 425 \text{ mm}$ Order no.: 103076

Ring tier for timber 14

for attaching to the narrow side of the table Finely-structured plastic-coated DB 703 oval tube with 2 250-mm \emptyset rings welded on. Order no.: 103077

timber 15

Set-up table without insert Finely-structured plastic-coated DB 703 steel L x W x H = $640 \times 432 \times 410 \text{ mm}$ Order no.: 103078

Wood insert for timber 15 set-up table Order no.: 103079





timber 9

Presentation table made from pressure-impregnated, alternative varnished wood. Can be used both as a display table and as a planting table. Table feet with floor-compensation screws.

L x W x H = 1200 x 800 x 620 mm Order no.: 102038

L x W x H = 800 x 600 x 480 mm Order no.: 102036

L x W x H = 600 x 400 x 380 mm Order no.: 102034

Accessories:

Simply by putting plastic irrigation trays on top of it, the timber 9 presentation table is transformed instantly from a display table to a planting table:

Black plastic irrigation tray L x W x H = 1215 x 815 x 45 mm

fits on presentation table measuring 1200 x 800 x 620 mm Order no.: 101785

Irrigation tray made from black plastic L x W x H = $810 \times 610 \times 40 \text{ mm}$ suitable for presentation table $800 \times 600 \times 480 \text{ mm}$ Order no.: 101814

Black plastic irrigation tray

L x W x H = $610 \times 410 \times 40 \text{ mm}$ fits on the presentation tables measuring: $800 \times 600 \times 480 \text{ mm}$ (2 trays) and $600 \times 400 \times 380 \text{ mm}$ (1 tray) Order no.: 101812



timber 13

Presentation table made from finely-structured plasticcoated DB 703 steel with one storage compartment made from pressure-impregnated, alternative varnished wood below the table surface.

Distance between table surface and storage compartment is 400 mm.

Table feet with floor-compensation screws. L x W x H = $1200 \times 800 \times 600 \text{ mm}$

Other heights on request.

Table area on top with inserted aluminium tray1135 x 735 x 25 mm, silver-anodised, without drainage;storage compartment made from pressure-impregnated,alternative varnished wood

Order no.: 102102

Table area on top made from pressure-impregnated,alternative varnished wood, storage compartment madefrom pressure-impregnated, alternative varnished woodOrder no.: 102100







Floral column

made from finely-structured, plastic-coated DB 703 steel, without advertising sign: L x W x H = 780 x 780 x 1650 mm with advertising sign: $L \times W \times H = 780 \times 780 \times 2160 \text{ mm}$ Base plate 500 x 500 mm with 4 swivel castors Ø 75 mm and 2 locking brakes Central column with height-adjustable bucket holders, 220-mm ring diameter 4 bucket holders with short booms 4 bucket holders with long booms (electrogalvanised bucket holders) complete with 8 zinc buckets, height 220 mm x Ø 240/170 mm incl. DIN A4 advertising sign, beech varnished with imitation slate complete with 170 mm chrome-plated rod for screwing onto the floral column Order no.: 101972

Zinc bucket with wooden handle Height 220 mm, Ø 240/170 mm

Order no.: 101821

Bucket holder with short boom

ring diameter 220 mm electrogalvanised Order no.: 101825

Bucket holder with long boom ring diameter 220 mm

electrogalvanised Order no.: 101826



Presentation column with tiers

timber 21 Presentation column with tiers

made from finely-structured, plastic coated DB 703 steel without advertising sign: $\emptyset \times H = 890 \times 1650 \text{ mm}$ with advertising sign: $\emptyset \times H = 890 \times 2160 \text{ mm}$ rondel with perforated sheet panelling and 2 half-round irrigation trays made from black plastic, 4 castors \emptyset 75 mm and 2 holding brakes Central column with 5 height-adjustable and inclinable tier frames with each 1 irrigation tray 420 x 420 mm incl. DIN A 4 advertising sign, beech varnished with imitation slate complete with 170 mm chrome-plated rod for screwing onto the presentation column Order no.: 103083

Additional tier frame

complete with irrigation tray 420 x 420 mm for presentation column timber 21 Order no.: 103084






Presentation column with zinc buckets Presentation column with round wooden tiers

timber 21

| | timber 21 Presentation column with zinc buckets made from finely-structured, plastic coated DB 703 steel without advertising sign: $\emptyset \times H = 890 \times 1650 \text{ mm}$ with advertising sign: $\emptyset \times H = 890 \times 2160 \text{ mm}$ rondel with perforated sheet panelling and 2 half-round irrigation trays made from black plastics, 4 castors \emptyset 75 mm and 2 holding brakes Central column with height-adjustable bucket holders, 220-mm ring diameter 4 bucket holders with short booms 4 bucket holders with long booms (electrogalvanised bucket holders) complete with 8 zinc buckets, height 220 mm x \emptyset 240/170 mm incl. DIN A 4 advertising sign, beech varnished with imitation slate complete with 170 mm chrome-plated rod for screwing onto the presentation column Order no.: 103085 |
|----|---|
| el | timber 21 Presentation column with round wooden tiers made from finely-structured, plastic coated DB 703 steel without advertising sign: $\emptyset \times H = 890 \times 1650$ mm with advertising sign: $\emptyset \times H = 890 \times 2160$ mm rondel with perforated sheet panelling and inserted 19 mm black perl multiplex board 4 castors \emptyset 75 mm and 2 holding brakes Central column with 2 inserted 19 mm multiplex boards in perl décor, diameter 500 mm and 700 mm, screwed tightly incl. DIN A 4 advertising sign, beech varnished with imitation slate complete with 170 mm chrome-plated rod for screwing |

complete with 170 mm chrome-plated rod for screwing onto the presentation column Order no.: 103086







Inside corner module with rear wall



timber 18

timber 18 Stair-type stand with shelf for cut flowers

- made from pressure-impregnated, alternative varnished wood
- 1 stairs with 2 inserted multiplex boards in black perl décor with each 4 bores 250 mm for zinc buckets
- 8 zinc buckets, height 260 mm x Ø 280/200 mm
- 1 rear wall with 1 height-adjustable and inclinable tier
- with irrigation tray 1250 x 250 mm

Chassis/metal parts made from finely-structured, plastic coated DB 703 steel

- 4 grey, solid-rubber 75 mm swivel castors,
- 2 holding brakes

L x W x H = 1315 x 960 x 1650 mm Order no.: 103090

L x W x H = 1315 x 960 x 1400 mm Order no.: 103089

timber 18 Inside corner module with rear wall

made from pressure-impregnated, alternative varnished wood 3 tiers with 4 irrigation trays 420 x 420 mm and 2 rear walls Chassis/metal parts made from finely-structured, plastic coated DB 703 steel 4 grey, solid-rubber 75 mm swivel castors, 2 holding brakes

L x W x H = 960 x 960 x 1650 mm Order no.: 103093

L x W x H = 960 x 960 x 1400 mm Order no.: 103092



2 holding brakes

L x W x H = 1315 x 960 x 1650 mm 1 stair with 2 irrigation trays 1260 x 420 mm 1 rear wall with 2 height-adjustable and inclinable tiers, upper tier with irrigation tray 1250 x 250 mm lower tier with irrigation tray 1260 x 420 mm Order no.: 103088

L x W x H = 1315 x 960 x 1400 mm 1 stair with 2 irrigation trays 1260 x 420 mm 1 rear wall with 1 height-adjustable and inclinable tier with irrigation tray 1260 x 420 mm Order no.: 103087



timber 18

timber 18 Stair-type stand with shelf for pot plants

made from pressure-impregnated, alternative varnished wood Chassis / metal parts made from finely-structured, plastic coated DB 703 steel 4 grey, solid-rubber 75 mm swivel castors,

EXAMPLES OF COLOURS



Shelf timber 5 combined with inside corner module with rear wall timber 18 (see page 14)



1 Drawer of base podium Order no.: 103096

2 Panelling on side of podium

made from pressure-impregnated or alternative varnished wood for timber 5 shelf Surcharge per side Order no.: 102023

3 Wood insert for tier timber 5

made from pressure-impregnated, or varnished wood with solid beech spacer strips L x W 630 x 425 mm Order no.: 102021

Paper dispenser for a 500-mm reel

including fixture made from finely-structured DB 703 steel for hooking in the timber 5 shelf Order no.: 101046


4 Triangular corner plinth

to close the gaps when reconstructing columns or in corner situations with unscrewable floor-compensation screws. Leg length 680 mm, height 255 mm Order no.: 102019

5 Retaining bracket with blister hooks

Set consisting of retaining bracket made from finely-structured, plastic-coated DB 703 oval tube including 4 blister hooks 300 mm chrome-plated with swinging price tag W70 x H 40 mm Order no.: 102503









timber 5

Shelf with 3 height-adjustable tiers each with one inserted black plastic irrigation tray measuring 410 x 610 mm each. The irrigation trays are removable. Beneath the irrigation trays on each tier there are two 220-mm rings for hooking in vases and buckets for selling cut flowers. This enables you to use this shelf both for potted plants and cut flowers. All you have to do is to remove the irrigation tray. Tiers and shelf are all made from finely-structured plastic-coated DB 703 steel, cladded with pressureimpregnated, alternative varnished wood. Size of the bottom tray: 680 x 680 mm.

L x W x H= 680 x 680 x 1650 mm Order no.: 102077

(Scope of supply complete with 3 tiers with 2 rings each, insertion trays and 1 bottom tray. Buckets are not included in the scope of supply.)





75557



timber 17

Rack to be set up anywhere, can be used from both sides. suitable to be placed in a central position Finely-structured plastic-coated DB 703 steel frame 4 varnished wood inserts Black pedestal frame

L x W x H= 1400 x 400 x 2025 mm Order no.: 102485

Signboard

Beech A5 landscape with imitation slate incl. fixtures (hooks for hanging) Order no.: 102024



Sales podium timber 1 height 290 mm

Additional tier frame

complete with 2 rings Ø 220 mm, welded on and inserted black plastic irrigation tray 610 x 410 mm Order no.: 103097

Irrigation tray made of black plastic $L \times W \times H = 610 \times 410 \times 40 \text{ mm}$ Order no.: 101812

Wood insert for tier timber 22

made from pressure-impregnated or varnished wood with solid beech spacer strips Order no.: 102021



timber 22

timber 22 Center shelf

made from pressure-impregnated, alternative varnished wood supporting structure made from plastic-coated, finely-structured steel DB 703 1 centre wall with 2 height-adjustable and inclinable tiers per site 2 base podiums incl. panelling shelf feet with floor compensation screws L x W x H = 680 x 1360 x 1400 mm

Design with trays

2 base podiums with each 1 irrigation tray 680 x 680 mm 4 tiers with each 2 rings 220 mm welded on and each 1 irrigation tray 610 x 410 mm Order no.: 103094

Design with wooden boards

2 base podiums with each 1 inserted multiplex board in black perl décor 4 tiers with each 2 rings 220 mm welded on and each 1 wood insert made from pressure-impregnated or varnished wood Order no.: 103095

Drawer of base podium Order no.: 103096

Sales podium timber 1 height 480 mm

Center shelf timber 22 with bottom tray and wood insert







with wooden boards

with trays

with drawer



Sales island, mobile made from finely-structured, plasticcoated DB 703 steel. Decorative side panels made from pressure-impregnated, alternative varnished wood, interchangeable. 4 tiers at the sides, inclinable and heightadjustable with 1 removable black plastic 610 x 410 mm irrigation tray each. Under the irrigation trays on each tier there are two 220-mm rings for hooking in vases and buckets for selling cut flowers.

1 removable black plastic 680 x 680-mm irrigation tray in the middle.

4 swivel castors, solid rubber, grey, 2 locking brakes

Length x width x height

with tiers hooked-in at the sides = $1550 \times 1550 \times 640 \text{ mm}$ without tiers hooked-in at the sides = $680 \times 680 \times 640 \text{ mm}$

Order no.: 102104

(Scope of supply: complete with 4 tiers with 2 rings and 1 irrigation tray each and 1 irrigation tray in the middle)



Inside corner module









Lengthwise module

Outside corner module

Rear wall



timber 12

Sales island, stationary with integrated paper dispenser. The sales island is made from finely-structured, plasticcoated DB 703 steel. Decorative side panels are made from pressure-impregnated, alternative varnished wood (closed on 3 sides, on 1 side only the lower half is faced). Integrated paper dispenser for a 500-mm reel. 3 tiers at the sides, inclinable and height-adjustable with 1 removable black plastic 610 x 410 mm irrigation tray each. Under the irrigation trays on each tier there are two 220-mm rings for hooking in vases and buckets for selling cut flowers. With 1 removable black plastic 680 x 680-mm irrigation tray in the middle. Table feet with floor-compensation screws

Length x width x height

with tiers hooked-in at the sides = $1550 \times 1165 \times 800 \text{ mm}$ without tiers hooked-in at the sides = $680 \times 730 \times 800 \text{ mm}$

Order no.: 102103

(Scope of supply: complete with 3 tiers with 2 rings and 1 irrigation tray each, 1 irrigation tray in the middle and 1 paper dispenser)







timber 11

Lengthwise stair-type sales module

made from pressure-impregnated, alternative varnished wood with 2 watertight, black plastic irrigation trays, each measuring 1,260 x 420 mm. The irrigation trays are removable. 4 grey, solid-rubber 75-mm swivel castors, 2 locking brakes L x W x H = 1295 x 920 x 670 mm Order no.: 102067



Rear wall for lengthwise module

made from pressure-impregnated, alternative varnished wood, height of rear wall approx. 570 mm Order no.: 102018

Stair-type sales module – outside corner

made from pressure-impregnated, alternative varnished wood with 2 watertight, black plastic irrigation trays, the top one measures 420 x 420 mm. The irrigation trays are removable. 5 grey, solid-rubber 75-mm swivel castors, 2 locking brakes L x W x H = 920 x 920 x 670 mm

Order no.: 102093

Stair-type sales module – inside corner

made from pressure-impregnated, alternative varnished wood 3 tiers with 4 irrigation trays 420 x 420 mm 4 grey, solid-rubber 75-mm swivel castors, 2 locking brakes L x W x H = 920 x 920 x 950 mm Order no.: 103091

Mounting plate for scanner strip



Plug-on mounting plate for fixing scanner strips Finely-structured polyester-coated DB 703 steel plate.

Height 75 mm suitable for 55-mm high scanner strips Length 1200 mm Order no.: 101847

Height 75 mm suitable for 55-mm high scanner strips Length 800 mm Order no.: 101848

Height 100 mm, Length 70 mm for timber sales podiums Order no.: 101843

for the timber shelf Order no.: 101844

Other sizes on request.

Granite tops available:







Nero Impala Rosa Beta Padang Yellow

Padang Crystal

Colours:

Pressure-

impregnated











Glaze walnut Glaze Wengé

Glaze anthracite

Other materials on request.



Pressure-impregnated



Glaze walnut



Glaze Wengé



Glaze anthracite



Glaze driftwood



Glaze chalk white

Standard finish: pressure-impregnated. Glazes charged extra.

Change of colour for wooden parts Order no.: 100766

Change of colour for metal parts Order no.: 100764

suitable for price labels measuring 70 x 80 mm with approximately 20 mm clearance Height 100mm, Length 70mm suitable for price labels measuring 70 x 80 mm

with approximately 5 mm clearance



others on request








Glaze chalk white



www.kahler.de



Germany

Kahler GmbH Werkring 6 D-89290 Buch

 Tel.
 +49 (0)7343 9227-0

 Fax
 +49 (0)7343 9227-79

 E-mail
 info@kahler.de

 Web
 www.kahler.de

Switzerland

HERS GmbH Industriestrasse 17 CH-4415 Lausen Tel. +41 (0)61 90699-99

E-mail info@hers.ch Web www.hers.ch